

# SAFETY DATA SHEET

## Virkon™ S



Version 1.1      Revision Date: 03/01/2019      SDS Number: 103000008545      Date of previous issue: 01/07/2019  
Country / Language: US / EN

---

### SECTION 1. IDENTIFICATION

Product name : Virkon™ S  
Material number : 57818065  
EPA Registration Number : 39967-137  
Recommended use : Disinfectants  
Cleaning agent

#### Manufacturer or supplier's details

Supplier : LANXESS Corporation  
Product Safety & Regulatory Affairs  
111 RIDC Park West Drive  
PittsburghPA 15275-1112  
USA  
Telephone : +1800LANXESS  
Emergency telephone : CHEMTREC (800) 424 9300  
International (703) 527 3887  
Lanxess Emergency Phone: (866) 673 6350


---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Skin irritation : Category 2  
Serious eye damage : Category 1

#### GHS label elements

Hazard pictograms : 

The image shows a GHS hazard pictogram consisting of a red diamond border. Inside the diamond, there is a black silhouette of a hand being washed under a stream of water, with a small eye icon above it, representing the hazard of skin irritation and serious eye damage.

Signal Word : Danger  
Hazard Statements : Causes skin irritation.  
Causes serious eye damage.

Precautionary Statements : **Prevention:**  
Wash skin thoroughly after handling.  
Wear protective gloves/ eye protection/ face protection.  
**Response:**  
IF ON SKIN: Wash with plenty of soap and water.  
IF IN EYES: Rinse cautiously with water for several minutes.

|         |                |              |                                    |
|---------|----------------|--------------|------------------------------------|
| Version | Revision Date: | SDS Number:  | Date of previous issue: 01/07/2019 |
| 1.1     | 03/01/2019     | 103000008545 | Country / Language: US / EN        |

Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.  
 If skin irritation occurs: Get medical advice/ attention.  
 Take off contaminated clothing and wash before reuse.

**Hazard Not Otherwise Classified (HNOC)**

None known.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS****Hazardous ingredients**

| Chemical name  | CAS-No.    | Concentration (% w/w) |
|--|------------|-----------------------|
| pentapotassium bis(peroxymonosulphate) bis(sulphate) | 70693-62-8 | >= 50 - < 70          |
| Sodium Dodecylbenzene Sulfonate                      | 25155-30-0 | >= 10 - < 20          |
| Butanedioic acid, 2-hydroxy-                         | 6915-15-7  | >= 5 - < 10           |
| Sulphamic acid                                       | 5329-14-6  | >= 1 - < 5            |
| potassium hydrogen sulphate                          | 7646-93-7  | >= 1 - < 3            |
| Dipotassium peroxodisulphate                         | 7727-21-1  | >= 1 - < 5            |
| Dipotassium disulphate                               | 7790-62-7  | >= 1 - < 3            |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

**SECTION 4. FIRST AID MEASURES**

- If inhaled : Get medical attention immediately.  
 Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
 If unconscious, place in recovery position and get medical attention immediately.  
 Maintain open airway.  
 Loosen tight clothing such as a collar, tie, belt or waistband.  
 In case of inhalation of decomposition products in a fire, symptoms may be delayed.  
 The exposed person may need to be kept under medical surveillance for 48 hours.  
 If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 30 minutes.  
 Get medical attention immediately.  
 Wash contaminated clothing thoroughly with water before removing it, or wear gloves.  
 Remove contaminated clothing and shoes.  
 Wash contaminated clothing before reuse.  
 Thoroughly clean shoes before reuse.
- In case of eye contact : Get medical attention immediately.  
 Immediately flush eyes with plenty of water, occasionally lifting

# SAFETY DATA SHEET

## Virkon™ S



Version 1.1      Revision Date: 03/01/2019      SDS Number: 103000008545      Date of previous issue: 01/07/2019  
Country / Language: US / EN

---

the upper and lower eyelids.  
Remove contact lenses, if present and easy to do. Continue rinsing.  
Continue to rinse for at least 10 minutes.  
Chemical burns must be treated promptly by a physician.

If swallowed : Get medical attention immediately.  
Rinse mouth with water.  
Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
If victim is fully conscious, give a cupful of water.  
Stop if the exposed person feels sick as vomiting may be dangerous.  
Do not induce vomiting unless directed to do by medical personnel.  
If vomiting occurs, the head should be kept low so that vomit does not enter the lungs.  
Chemical burns must be treated promptly by a physician.  
Never give anything by mouth to an unconscious person.  
Maintain open airway.  
Loosen tight clothing such as a collar, tie, belt or waistband.

### Most important symptoms and effects, both acute and delayed

Symptoms : Eye: Causes irritation with symptoms of reddening, tearing, stinging, and swelling.  
Skin: Causes irritation with symptoms of reddening, itching, and swelling.

Effects : Causes skin irritation.  
Causes serious eye damage.

---

## SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
In case of fire, use water spray (fog), foam or dry chemical.

Unsuitable extinguishing media : Do not use water jet.  
Carbon dioxide (CO<sub>2</sub>)

Specific hazards during fire fighting : Toxic and irritating gases/fumes may be given off during burning or thermal decomposition.  
Water runoff from fire fighting may be corrosive.

Hazardous combustion products : Sulfur oxides  
Metal oxides  
Carbon dioxide (CO<sub>2</sub>)  
Carbon monoxide  
Nitrogen oxides (NO<sub>x</sub>)  
Halogenated compounds  
Phosphorus oxides

# SAFETY DATA SHEET

Virkon™ S



Version 1.1      Revision Date: 03/01/2019      SDS Number: 103000008545      Date of previous issue: 01/07/2019  
Country / Language: US / EN

---

Further information : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire.  
No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

---

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : No action shall be taken involving any personal risk or without suitable training.  
Keep unnecessary and unprotected personnel from entering.  
Do not touch or walk through spilled material.  
Ensure adequate ventilation or exhaust ventilation in the working area.  
Put on appropriate personal protection equipment.  
In case of inadequate ventilation wear respiratory protection.

Environmental precautions : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Move containers from spill area.  
Keep people away from and upwind of spill/leak.  
Avoid dust formation.  
Do not dry sweep.  
Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container.  
Dispose of wastes in an approved waste disposal facility.

---

## SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Do not get in eyes or mouth or on skin.  
Do not breathe vapors/dust.  
Use only with adequate ventilation.  
In case of insufficient ventilation, wear suitable respiratory equipment.  
Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use.  
Empty containers retain product residue; observe all precautions for product.  
Do not re-use empty containers.  
Workers should wash hands and face before eating, drinking and smoking.  
Put on appropriate personal protection equipment.  
Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed.

---

Version 1.1      Revision Date: 03/01/2019      SDS Number: 103000008545      Date of previous issue: 01/07/2019  
 Country / Language: US / EN

Conditions for safe storage : Protect from moisture.  
 Store in accordance with local regulations.  
 Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink.  
 Keep containers sealed until ready for use.  
 Containers that have been opened must be carefully resealed and kept upright to prevent leakage.  
 Do not store in unlabeled containers.  
 Use appropriate container to avoid environmental contamination.  
 Empty containers retain residue and can be dangerous.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

| Components                   | CAS-No.   | Value type<br>(Form of exposure) | Control parameters / Permissible concentration | Basis |
|------------------------------|-----------|----------------------------------|--|-------|
| Dipotassium peroxodisulphate | 7727-21-1 | TWA                              | 0.1 mg/m <sup>3</sup><br>(Persulphate)         | ACGIH |

**Engineering measures** : Use only with adequate ventilation.  
 If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

### Personal protective equipment

Respiratory protection : Although no exposure limit has been established for this product, the OSHA PEL for Particulates Not Otherwise Regulated (PNOR) of 15 mg/m<sup>3</sup> - total dust, 5 mg/m<sup>3</sup> - respirable fraction is recommended. In addition, the ACGIH recommends 3 mg/m<sup>3</sup> - respirable particles and 10 mg/m<sup>3</sup> - inhalable particles for Particles (insoluble or poorly soluble) Not Otherwise Specified (PNOS).  
 The following respirator is recommended if airborne concentrations exceed the appropriate standard/guideline.  
 NIOSH approved, air-purifying particulate respirator with N-95 filters.

Hand protection  
 Material : Butyl rubber - IIR  
 Wearing time : < 60 min

Eye protection : Safety glasses with side-shields  
 If inhalation hazards exist, a full-face respirator may be required instead.

Skin and body protection : Wear suitable protective clothing.

# SAFETY DATA SHEET

## Virkon™ S



Version 1.1      Revision Date: 03/01/2019      SDS Number: 103000008545      Date of previous issue: 01/07/2019  
Country / Language: US / EN

---

Hygiene measures : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : solid

Appearance : powder

Color : yellow

Odor : pleasant, sweet

Odor Threshold : No data available

pH : 2.2 - 2.7  
Concentration: 1 %

Melting point/freezing point : No data available

Boiling point/boiling range : No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)  
Water solubility : 65 g/l

Partition coefficient: n- : No data available

# SAFETY DATA SHEET

## Virkon™ S



Version 1.1      Revision Date: 03/01/2019      SDS Number: 103000008545      Date of previous issue: 01/07/2019  
Country / Language: US / EN

---

octanol/water

Ignition temperature : No data available  
Decomposition temperature : > 122 °F (> 50 °C)  
Viscosity : No data available  
Explosive properties : No data available  
Oxidizing properties : No data available

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : No specific test data related to reactivity available for this product or its ingredients.  
Chemical stability : The product is chemically stable.  
Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.  
Conditions to avoid : Exposure to moisture.  
Incompatible materials : Strong bases  
Combustible material  
Acids  
Oxidizing agents  
brass  
Copper  
Halogenated compounds  
Cyanides  
Heavy metal salts  
Hazardous decomposition products : sulphur dioxide  
Chlorine

---

### SECTION 11. TOXICOLOGICAL INFORMATION

The most important known symptoms and effects are described in Section 2 and/or Section 4.

#### Information on likely routes of exposure

Eye contact  
Skin contact  
Ingestion

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity : LD50 (Rat, male and female): 4,123 mg/kg

---

# SAFETY DATA SHEET

## Virkon™ S



Version 1.1      Revision Date: 03/01/2019      SDS Number: 103000008545      Date of previous issue: 01/07/2019  
Country / Language: US / EN

---

Method: OECD Test Guideline 401

GLP: yes

Acute inhalation toxicity : LC50 (Rat): 3.7 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: the particle size measurements of the product indicate that it is not respirable and therefore not bioavailable by the inhalation route.

Acute dermal toxicity : LD50 (Rat, male and female): 2,200 mg/kg  
Remarks: Extrapolation according to Regulation (EC) No. 440/2008

### Components:

#### **pentapotassium bis(peroxymonosulphate) bis(sulphate):**

Acute oral toxicity : LD50 (Rat, male and female): 500 mg/kg  
Method: OECD Test Guideline 423

Acute inhalation toxicity : LC0 (Rat, male): > 5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: Highest producible concentration.

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg  
Method: OECD Test Guideline 402  
Remarks: Extrapolation according to Regulation (EC) No. 440/2008

#### **Sodium Dodecylbenzene Sulfonate:**

Acute oral toxicity : LD50 (Rat): 438 mg/kg

#### **Butanedioic acid, 2-hydroxy-:**

Acute oral toxicity : LD50 (Rat, male and female): 3,500 mg/kg  
Method: OECD Test Guideline 401  
GLP: no

Acute inhalation toxicity : LC0 (Rat, male and female): > 1.306 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Remarks: Highest producible concentration.

Acute dermal toxicity : LD50 (Rabbit, female): > 5,000 mg/kg  
Method: OECD Test Guideline 401

---



# SAFETY DATA SHEET

## Virkon™ S



Version 1.1      Revision Date: 03/01/2019      SDS Number: 103000008545      Date of previous issue: 01/07/2019  
Country / Language: US / EN

---

GLP: no

### **Sulphamic acid:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg  
Method: OECD Test Guideline 402  
GLP: yes  
Remarks: Extrapolation according to Regulation (EC) No. 440/2008

### **potassium hydrogen sulphate:**

Acute oral toxicity : LD50 (Rat): 2,340 mg/kg

### **Dipotassium peroxodisulphate:**

Acute oral toxicity : LD50 (Rat): 700 mg/kg

Acute inhalation toxicity : LC0 (Rat): > 2.95 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Remarks: Highest producible concentration.

Acute dermal toxicity : LD50 (Rabbit): > 10,000 mg/kg

### **Dipotassium disulphate:**

Acute oral toxicity : LD50 (Rat, male): 2,140 mg/kg  
Method: OECD Test Guideline 401  
Remarks: Test results on an analogous product

Acute inhalation toxicity : Assessment: Corrosive to the respiratory tract.

Assessment: The component/mixture is toxic after short term inhalation.

### **Skin corrosion/irritation**

Causes skin irritation.

### **Product:**

Species: Rabbit  
Method: OECD Test Guideline 404  
Result: Irritating to skin.

### **Components:**

#### **pentapotassium bis(peroxymonosulphate) bis(sulphate):**

Species: Rabbit  
Method: OECD Test Guideline 404  
Result: Causes burns.

# SAFETY DATA SHEET

Virkon™ S



|         |                |              |                                    |
|---------|----------------|--------------|------------------------------------|
| Version | Revision Date: | SDS Number:  | Date of previous issue: 01/07/2019 |
| 1.1     | 03/01/2019     | 103000008545 | Country / Language: US / EN        |

---

**Sodium Dodecylbenzene Sulfonate:**

Assessment: Irritating to skin.

**Butanedioic acid, 2-hydroxy-:**

Species: Rabbit  
Method: OECD Test Guideline 404  
Result: No skin irritation

**Sulphamic acid:**

Species: Rabbit  
Method: OECD Test Guideline 404  
Result: Irritating to skin.

**potassium hydrogen sulphate:**

Assessment: Causes burns.

**Dipotassium peroxodisulphate:**

Species: Rabbit  
Method: OECD Test Guideline 404  
Result: Irritating to skin.

**Dipotassium disulphate:**

Assessment: Causes severe burns.

**Serious eye damage/eye irritation**

Causes serious eye damage.

**Product:**

Species: Rabbit  
Result: Risk of serious damage to eyes.

**Components:**

**pentapotassium bis(peroxymonosulphate) bis(sulphate):**

Species: Rabbit  
Result: Risk of serious damage to eyes.  
Method: OECD Test Guideline 405

**Sodium Dodecylbenzene Sulfonate:**

Assessment: Risk of serious damage to eyes.

**Butanedioic acid, 2-hydroxy-:**

Species: Rabbit  
Result: Irritating to eyes.  
Method: OECD Test Guideline 405

# SAFETY DATA SHEET

## Virkon™ S



Version 1.1      Revision Date: 03/01/2019      SDS Number: 103000008545      Date of previous issue: 01/07/2019  
Country / Language: US / EN

---

### **Sulphamic acid:**

Species: Rabbit  
Result: Irritating to eyes.  
Method: OECD Test Guideline 405

### **Dipotassium peroxodisulphate:**

Result: Irritating to eyes.

### **Dipotassium disulphate:**

Assessment: Risk of serious damage to eyes.

### **Respiratory or skin sensitization**

#### **Skin sensitization**

Not classified based on available information.

#### **Respiratory sensitization**

Not classified based on available information.

### **Product:**

Routes of exposure: Skin contact  
Species: Guinea pig  
Method: OECD Test Guideline 406  
Result: Did not cause sensitization on laboratory animals.

Routes of exposure: Inhalation  
Species: Mammal - species unspecified  
Method: Expert judgment  
Result: Did not cause sensitization on laboratory animals.

### **Components:**

#### **pentapotassium bis(peroxymonosulphate) bis(sulphate):**

Routes of exposure: Skin contact  
Species: Guinea pig  
Method: OECD Test Guideline 406  
Result: Does not cause skin sensitization.

#### **Butanedioic acid, 2-hydroxy-:**

Routes of exposure: Skin contact  
Species: Guinea pig  
Method: OECD Test Guideline 406  
Result: Did not cause sensitization on laboratory animals.  
GLP: yes

### **Sulphamic acid:**

Result: Did not cause sensitization on laboratory animals.

## Virkon™ S

Version 1.1      Revision Date: 03/01/2019      SDS Number: 103000008545      Date of previous issue: 01/07/2019  
Country / Language: US / EN

---

**Dipotassium peroxodisulphate:**

Routes of exposure: Inhalation  
Species: Mammal - species unspecified  
Result: May cause sensitization by inhalation.

Routes of exposure: Skin contact  
Species: Mouse  
Method: OECD Test Guideline 429  
Result: May cause sensitization by skin contact.

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****pentapotassium bis(peroxymonosulphate) bis(sulphate):**

Genotoxicity in vitro : Test system: Mammalian-Animal  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 476  
Result: positive  
GLP: yes

Test system: Bacteria  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative  
GLP: yes

Test system: Mammalian-Human  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 473  
Result: positive  
GLP: yes

Genotoxicity in vivo : Species: Mammalian-Animal  
Application Route: Oral  
Method: OECD Test Guideline 474  
Result: negative

**Butanedioic acid, 2-hydroxy-:**

Genotoxicity in vitro : Remarks: Not mutagenic in a standard battery of genetic toxicological tests.

**Sulphamic acid:**

Genotoxicity in vitro : Test system: Mammalian-Human  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 487  
Result: negative  
GLP: yes

Test system: Mammalian-Animal  
Metabolic activation: with and without metabolic activation

---

# SAFETY DATA SHEET

## Virkon™ S



Version 1.1      Revision Date: 03/01/2019      SDS Number: 103000008545      Date of previous issue: 01/07/2019  
Country / Language: US / EN

---

Method: OECD Test Guideline 476

Result: negative

Test system: Bacteria

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

### Dipotassium peroxodisulphate:

Genotoxicity in vitro : Remarks: Not mutagenic in a standard battery of genetic toxicological tests.

### Carcinogenicity

Not classified based on available information.

#### IARC

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

#### OSHA

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

#### NTP

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### Reproductive toxicity

Not classified based on available information.

### Components:

#### pentapotassium bis(peroxymonosulphate) bis(sulphate):

Effects on fetal development : Remarks: No teratogenic or fetotoxic effects were found at all dose levels tested.

#### Butanedioic acid, 2-hydroxy-:

Effects on fetal development : Remarks: No known significant effects or critical hazards.

### STOT-single exposure

Not classified based on available information.

### Components:

#### potassium hydrogen sulphate:

Assessment: May cause respiratory irritation.

#### Dipotassium peroxodisulphate:

Assessment: May cause respiratory irritation.

# SAFETY DATA SHEET

Virkon™ S

**LANXESS**  
Energizing Chemistry

Version 1.1      Revision Date: 03/01/2019      SDS Number: 103000008545      Date of previous issue: 01/07/2019  
Country / Language: US / EN

---

## STOT-repeated exposure

Not classified based on available information.

## Repeated dose toxicity

### Components:

#### **pentapotassium bis(peroxymonosulphate) bis(sulphate):**

Species: Rat, male and female  
LOAEL: > 1,000 mg/kg  
Application Route: Oral  
Exposure time: 28 d  
Number of exposures: 7 days/week  
Method: OECD Test Guideline 407  
Remarks: Subacute toxicity

Species: Rat, male and female  
LOAEL: 600 mg/kg  
Application Route: Oral  
Exposure time: 90 d  
Number of exposures: 7 days/week  
Method: OECD Test Guideline 408  
Remarks: Subchronic toxicity

#### **Sodium Dodecylbenzene Sulfonate:**

Species: Rat  
NOAEL: 220 mg/kg  
Application Route: Oral  
Dose: 220 mg/kg  
Remarks: Chronic toxicity

#### **Butanedioic acid, 2-hydroxy-:**

Remarks: No known significant effects or critical hazards.

## Aspiration toxicity

Not classified based on available information.

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

#### **pentapotassium bis(peroxymonosulphate) bis(sulphate):**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 53 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
GLP: yes  
Remarks: Fresh water

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 3.5 mg/l  
Exposure time: 48 h

---

# SAFETY DATA SHEET

## Virkon™ S



Version 1.1      Revision Date: 03/01/2019      SDS Number: 103000008545      Date of previous issue: 01/07/2019  
Country / Language: US / EN

---

Method: OECD Test Guideline 202

GLP: yes

Remarks: Fresh water

Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (microalgae)): > 1 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
GLP: yes  
Remarks: Fresh water

NOEC (Pseudokirchneriella subcapitata (microalgae)): 0.5 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

GLP: yes

Remarks: Fresh water

### **Sodium Dodecylbenzene Sulfonate:**

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus kisutch (coho salmon)): 3.1 mg/l  
Exposure time: 3 Days

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 4 mg/l  
Exposure time: 7 Days

### **Butanedioic acid, 2-hydroxy-:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
GLP: yes  
Remarks: Fresh water

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 240 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
GLP: yes  
Remarks: Fresh water

Toxicity to algae : EC50 (algae): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
GLP: yes  
Remarks: Fresh water

NOEC (algae): 100 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

GLP: yes

Remarks: Fresh water

### **Sulphamic acid:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 70.3 mg/l

---

# SAFETY DATA SHEET

## Virkon™ S



Version 1.1      Revision Date: 03/01/2019      SDS Number: 103000008545      Date of previous issue: 01/07/2019  
Country / Language: US / EN

---

Exposure time: 96 h  
Method: OECD Test Guideline 203  
GLP: no  
Remarks: Fresh water

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 71.6 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
GLP: yes  
Remarks: Fresh water

Toxicity to algae : EC50 (Desmodesmus subspicatus (green algae)): 48 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
GLP: yes  
Remarks: Fresh water

NOEC (Desmodesmus subspicatus (green algae)): 18 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
GLP: yes  
Remarks: Fresh water

Toxicity to fish (Chronic toxicity) : NOEC (Danio rerio (zebra fish)):  $\geq$  60 mg/l  
Exposure time: 34 d  
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 19 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50:  $>$  200 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209  
GLP: yes  
Remarks: Fresh water

### Dipotassium peroxodisulphate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 76.3 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 120 mg/l  
Exposure time: 48 h

Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (microalgae)): 83.7 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

### Ecotoxicology Assessment

Chronic aquatic toxicity : This product has no known ecotoxicological effects.



# SAFETY DATA SHEET

## Virkon™ S



Version 1.1      Revision Date: 03/01/2019      SDS Number: 103000008545      Date of previous issue: 01/07/2019  
Country / Language: US / EN

---

### **Dipotassium disulphate:**

- Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 680 mg/l  
Exposure time: 96 h  
Remarks: Fresh water
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 720 mg/l  
Exposure time: 48 h  
Remarks: Fresh water
- Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (microalgae)): 1,492 mg/l  
Exposure time: 96 h  
Remarks: Fresh water
- EC10 (Pseudokirchneriella subcapitata (microalgae)): 656 mg/l  
Exposure time: 96 h  
Remarks: Fresh water
- Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): > 595 mg/l  
Exposure time: 7 Days  
Remarks: Fresh water
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Ceriodaphnia dubia (Water flea)): 790 mg/l  
Exposure time: 7 Days  
Remarks: Fresh water

### **Persistence and degradability**

#### **Components:**

#### **pentapotassium bis(peroxymonosulphate) bis(sulphate):**

Biodegradability : Result: The methods for determining the biological degradability are not applicable to inorganic substances.

#### **Butanedioic acid, 2-hydroxy-:**

Biodegradability : aerobic  
Result: Readily biodegradable.  
Biodegradation: 67.5 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B  
GLP: yes

#### **Sulphamic acid:**


Biodegradability : Result: The methods for determining the biological degradability are not applicable to inorganic substances.

#### **Dipotassium peroxodisulphate:**

Biodegradability : Result: The methods for determining the biological degradability are not applicable to inorganic substances.

# SAFETY DATA SHEET

Virkon™ S



Version 1.1      Revision Date: 03/01/2019      SDS Number: 103000008545      Date of previous issue: 01/07/2019  
Country / Language: US / EN

---

**Dipotassium disulphate:**

Biodegradability : Result: The methods for determining the biological degradability are not applicable to inorganic substances.

**Bioaccumulative potential**

**Components:**

**pentapotassium bis(peroxymonosulphate) bis(sulphate):**

Partition coefficient: n-octanol/water : log Pow: < 0.3  
Method: OECD Test Guideline 117

**Sodium Dodecylbenzene Sulfonate:**

Bioaccumulation : Bioconcentration factor (BCF): 220

Partition coefficient: n-octanol/water : log Pow: 0.45

**Butanedioic acid, 2-hydroxy-:**

Partition coefficient: n-octanol/water : log Pow: -1.26

**Sulphamic acid:**

Partition coefficient: n-octanol/water : log Pow: -4.34

**Mobility in soil**

No data available

**Other adverse effects**

No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

RCRA - Resource Conservation and Recovery Authorization Act : If discarded in its purchased form, this product would not be a hazardous waste either by listing or by characteristic. However, under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste. (40 CFR 261.20-24)

Disposal methods : The generation of waste should be avoided or minimized wherever possible. This material and its container must be disposed of in a safe way. Empty containers retain product residue; observe all precautions for product. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Waste disposal should be in accordance with existing federal,

---



# SAFETY DATA SHEET

## Virkon™ S



Version 1.1      Revision Date: 03/01/2019      SDS Number: 103000008545      Date of previous issue: 01/07/2019  
Country / Language: US / EN

---

### US State Regulations

#### Massachusetts Right To Know

Sodium Dodecylbenzene Sulfonate      25155-30-0      >= 10 - < 20

#### Pennsylvania Right To Know

pentapotassium bis(peroxymonosulphate)      70693-62-8      >= 50 - < 70  
bis(sulphate)  
Polyphosphoric acids, sodium salts      68915-31-1      >= 10 - < 20  
Sodium Dodecylbenzene Sulfonate      25155-30-0      >= 10 - < 20  
Butanedioic acid, 2-hydroxy-      6915-15-7      >= 5 - < 10  
Sulphamic acid      5329-14-6      >= 1 - < 5  
Dipotassium peroxodisulphate      7727-21-1      >= 1 - < 5

#### California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive defects.

#### TSCA inventory

TSCA : This product is regulated under the United States Federal Insecticide, Fungicide and Rodenticide Act (FIFRA).

#### TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

#### FIFRA

EPA Registration Number : 39967-137

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Signal Word : DANGER

Hazard Statements : Powder is corrosive. Causes irreversible eye damage and skin burns. Harmful if swallowed or absorbed through skin. Corrosive statement does not refer to 1% in-use solution. FIFRA Registered Composition:  
Active Ingredients:  
Potassium peroxymonosulfate (CAS# 10058-23-8) 21.41%  
Sodium chloride (CAS# 7647-14-5) 1.5%  
Other Ingredients 77.09%  
Total: 100%"

# SAFETY DATA SHEET

## Virkon™ S




Version 1.1      Revision Date: 03/01/2019      SDS Number: 103000008545      Date of previous issue: 01/07/2019  
Country / Language: US / EN

### SECTION 16. OTHER INFORMATION

#### Further information

##### NFPA:



##### HMIS® IV:

|                 |   |   |
|-----------------|---|---|
| HEALTH          | / | 3 |
| FLAMMABILITY    |   | 0 |
| PHYSICAL HAZARD |   | 0 |

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

LANXESS' method of hazard communication is comprised of Product Labels and Safety Data Sheets. HMIS and NFPA ratings are provided by LANXESS as a customer service.

Revision Date : 03/01/2019

This information is furnished without warranty, express or implied. This information is believed to be accurate to the best knowledge of our knowledge. The information provided in this Safety Data Sheet (SDS) is correct to the best of our knowledge, information and belief at the date of its publication. We assume no legal responsibility for use of or reliance upon the information in this SDS.